



Technical Data Sheet ATF DEX-VI

Product Description

Full synthetic lubricants ATF VI with a very high viscosity index for most automatic transmissions. The improved fluidity at low temperatures ensures optimum performance in all conditions. Its exceptional frictional characteristics provide smooth switching and driving comfort.

Meets the requirements of

ATF DX-VI Full synthetic GM DEXRON ULV ATF

Claim / Performance

Acurat ATF-Z1

Aisin Warner JWS 3309 (T-IV) & JWS 3324 (WS)

Allison TES 228 C-3 – C-4

American Motors ATF +3 (MS7176-E), ATF +4 (MS9602)

ATF RED 1, RED 1K

AUDI G 055 025 A2 (JWS 3309)

BMW JWS 3309 (T-IV)

BMW JWS LA 2634

BMW LT 71141 (ZF 5HP18FL/19FL/24A)

or Esso LT 71141

BMW ZF 5HP18FL, 5HP24, 5HP30

BMW 7045E

BMW ETL 8072B

BMW Mini

CAT TO2

Chrysler ATF+, +2, +3 (MS7176E), +4 (MS 9602)

Chrysler Dodge Mopar AS 68 RC (T-IV), JWS 3309

Daewoo LT 71141

Daihatsu AMMIX ATF D-II

Daihatsu AMMIX ATF D-III SP

FIAT T-IV type, JWS 3309

Technical Justification

JASO M315 1A data set

JASO M315 1A data set

DEXRON®-VI data set

DEXRON®-VI data set

JASO M315 1A data set

JASO M315 1A data set

JASO M315 1A data set

DEXRON®-VI data set

JASO M315 1A data set

DEXRON®-VI data set

DEXRON®-VI data set

JASO M315 1A data set

DEXRON®-VI data set

DEXRON®-VI data set

+ JASO M315 1A data set

JASO M315 1A data set

JASO M315 1A data set

Disclaimer: The information contained in this document is based upon data believed to be reliable and relates only to the matters specifically mentioned in this document. Although DYNAMIC KOTE motor oil has used reasonable skill and care in the preparation of this information as of the date below, in the absence of any overriding obligations arising under a specific contract to supply goods or services: no representation, warranty (express or implied), or guarantee is made as to the suitability, accuracy, reliability or completeness of the information; nothing in this document shall reduce the user's responsibility to satisfy itself as to the suitability, accuracy, reliability, and completeness of such information for its particular use; there is no warranty against intellectual property infringement; and DYNAMIC KOTE motor oil shall not be liable for any loss, damage or injury that may occur from the use of this information other than death or personal injury caused by its negligence. No statement shall be construed as an endorsement of any product or process. For greater certainty, before use, particularly if the product is used for a purpose or under conditions which are abnormal or not reasonably foreseeable, this information must be reviewed with the supplier.

Τα άνωθι χαρακτηριστικά αντιπροσωπεύουν τυπικές τιμές.

DYNAMIC KOTE : 01.04.15

© copyright DYNAMIC KOTE motor oil motor oil-DYNAMIC KOTE LUBRICANTS P.C. – OT2B Industrial Zone of ALEXANDROYPOLIS – Greece (Hellas) - GR-68100 – website:

www.dynamickote.eu





Ford MERCON®MERCEN LV, MERCEN ULV,	MERCON® data set
Ford FNRS	JASO M315 1A data set
Ford M2C138CJ, M2C166H, WSS M2C 138CJ, 166H	DEXRON®-VI data set
Ford WSS M2C 922A1, 924A (XT-8-QAW) JWS 3309 MERCEN LV, MERCEN ULV,	JASO M315 1A data set
FUSO ATF-II	JASO M315 1A data set
FUSO ATF – SP III	JASO M315 1A data set
FUSO ATF A4	JASO M315 1A data set
GM 9986195 (Aisin AW, JWS 3309)	JASO M315 1A data set
GM TASA, DEXRON®-IID, DEXRON®-IIE, DEXRON®-IIIG, DEXRON®-IIIH GM DEXRON ULV ATF	DEXRON®-VI data set
HINO Blue Ribbon ATF	JASO M315 1A data set
Honda ATF-Z1 (except in CVTs)	JASO M315 1A data set
Honda DW 1	JASO M315 1A data set
Hyundai/Kia Dex II/ SP-II	DEXRON®-VI data set
Hyundai/Kia SP-III	JASO M315 1A data set
Hyundai/Kia SP IV	JASO M315 1A data set
Hyundai/Kia SP IV M	JASO M315 1A data set
Hyundai/Kia SP IV RR	JASO M315 1A data set
Hyundai/Kia JWS 3314	JASO M315 1A data set
Hyundai/Kia JWS 9683	JASO M315 1A data set
ISUZU BESCO ATF-II, ATF-III	JASO M315 1A data set
JAGUAR ATF 3403 M115, ATF 3403-M115	DEXRON®-VI data set
JAGUAR ATF LT 71141, ZF 5HP24	DEXRON®-VI data set
JAGUAR JLM 20238	DEXRON®-VI data set
JAGUAR ATF 3403 JLM20238	DEXRON®-VI data set
JASO M315-2013 1A	JASO M315 1A data set (Caution, Viscometrics)
JASO M315-2013 1A-LV-ULV	JASO M315 1A data set
JASO M315-2013 2A	JASO M315 1A data set (Caution, Viscometrics)
JEEP ATF +3, +4	DEXRON®-VI data set
Lexus JWS 3309	JASO M315 1A data set
KIA ATF SP II, SP III, SP IV, SP IVM, Red 1	JASO M315 1A data set

Disclaimer: The information contained in this document is based upon data believed to be reliable and relates only to the matters specifically mentioned in this document. Although DYNAMIC KOTE motor oil has used reasonable skill and care in the preparation of this information as of the date below, in the absence of any overriding obligations arising under a specific contract to supply goods or services: no representation, warranty (express or implied), or guarantee is made as to the suitability, accuracy, reliability or completeness of the information; nothing in this document shall reduce the user's responsibility to satisfy itself as to the suitability, accuracy, reliability, and completeness of such information for its particular use; there is no warranty against intellectual property infringement; and DYNAMIC KOTE motor oil shall not be liable for any loss, damage or injury that may occur from the use of this information other than death or personal injury caused by its negligence. No statement shall be construed as an endorsement of any product or process. For greater certainty, before use, particularly if the product is used for a purpose or under conditions which are abnormal or not reasonably foreseeable, this information must be reviewed with the supplier.

Τα άνωθι χαρακτηριστικά αντιπροσωπεύουν τυπικές τιμές.

DYNAMIC KOTE : 01.04.15

© copyright DYNAMIC KOTE motor oil motor oil-DYNAMIC KOTE LUBRICANTS P.C. – OT2B Industrial Zone of ALEXANDROYPOLIS – Greece (Hellas) - GR-68100 – website:

www.dynamickote.eu





MAN 339 Z1 and Z2	DEXRON VI data set
MAZDA ATF D II	JASO M315 1A data set
	+ DEXRON®-VI data set
MAZDA ATF M III	JASO M315 1A data set
Mazda ATF M-V	JASO M315 1A data set
Mazda ATF FZ	JASO M315 1A data set
Mazda ATF S-1	JASO M315 1A data set
Mazda ATF N-1	JASO M315 1A data set
Mazda ATF 3317	JASO M315 1A data set
MB 236,1 – 236.2 – 236.3 – 236.6 (236.5)	DEXRON®-VI data set (Allison data set)
MB 236.7– 236.9 – 236.10 – 236.11	DEXRON®-VI data set
MINI COOPER T-IV	JASO M315 1A data set
Mitsubishi Diaqueen SK	JASO M315 1A data set
Mitsubishi Diaqueen SP II	DEXRON®-VI data set + JASO M315 1A data set
Mitsubishi Diaqueen SP III	JASO M315 1A data set
Mitsubishi Diaqueen AW	JASO M315 1A data set
Mitsubishi Diaqueen J2	JASO M315 1A data set
Mitsubishi Diaqueen J3	JASO M315 1A data set
Mitsubishi Diaqueen ATF PA	JASO M315 1A data set
NAG 1 (Chrysler, Jeep, Cherokee)	DEXRON®-VI data set
Nissan Matic Fluid C, D, J, K and S	JASO M315 1A data set
Opel (all vehicles)	DEXRON®-VI data set
Peugeot ZF 4HP20	DEXRON®-VI data set
Porsche ZF 5HP19FL, 5HP20, LT 71141	DEXRON®-VI data set
Porsche ATF 3403-M115	DEXRON®-VI data set
Porsche T-IV (JWS 3309)	JASO M315 1A data set
Saab T-IV (JWS 3309)	JASO M315 1A data set
Saab 93 165 147	JASO M315 1A data set
Saturn T-IV (JWS 3309)	JASO M315 1A data set
Scion (all vehicles)	JASO M315 1A data set
Shell 3403, M 115, LA 2634	DEXRON®-VI data set

Disclaimer: The information contained in this document is based upon data believed to be reliable and relates only to the matters specifically mentioned in this document. Although DYNAMIC KOTE motor oil has used reasonable skill and care in the preparation of this information as of the date below, in the absence of any overriding obligations arising under a specific contract to supply goods or services: no representation, warranty (express or implied), or guarantee is made as to the suitability, accuracy, reliability or completeness of the information; nothing in this document shall reduce the user's responsibility to satisfy itself as to the suitability, accuracy, reliability, and completeness of such information for its particular use; there is no warranty against intellectual property infringement; and DYNAMIC KOTE motor oil shall not be liable for any loss, damage or injury that may occur from the use of this information other than death or personal injury caused by its negligence. No statement shall be construed as an endorsement of any product or process. For greater certainty, before use, particularly if the product is used for a purpose or under conditions which are abnormal or not reasonably foreseeable, this information must be reviewed with the supplier.

Τα άνωθι χαρακτηριστικά αντιπροσωπεύουν τυπικές τιμές.

DYNAMIC KOTE : 01.04.15

© copyright DYNAMIC KOTE motor oil motor oil-DYNAMIC KOTE LUBRICANTS P.C. – OT2B Industrial Zone of ALEXANDROYPOLIS – Greece (Hellas) - GR-68100 – website: www.dynamickote.eu





Subaru ATF, ATF 5AT, ATF HP

Subaru Dexron®-II

Suzuki ATF 3314

Suzuki AT OIL 5D06

Suzuki ATF 2326

Suzuki ATF 2384K

Suzuki ATF JWS 3309

Suzuki ATF 3317

Texaco 7045-E, 8072B

Texaco N402

Toyota ATF T-III, T-IV

Toyota ATF D-II, D-III

Toyota ATF WS

Vickers M2950S, I 286-S

VOLVO CE 97340

VW 5HP (ZF 5 HP 30)

VW 5HP (18 FL , 30)

VW 5HP (19 FL , 24A)

VW G-055-025 A2 (JWS 3309)

VW TL 521 62

ZF all 3 and 4 speed transmissions

ZF TE-ML 02F/03D/04D/14A/17C

ZF TE-ML 09, 11A, 11B

JASO M315 1A data set

DEXRON®-VI data set

+ JASO M315 1A data set

JASO M315 1A data set

JASO M315 1A data set

DEXRON®-VI data set

+ JASO M315 1A data set

DEXRON®-VI data set

JASO M315 1A data set

JASO M315 1A data set

DEXRON®-VI data set

+ JASO M315 1A data set

JASO M315 1A-LV data set

DEXRON®-VI data set

JASO M315 1A data set

DEXRON®-VI data set

DEXRON®-VI data set

DEXRON®-VI data set

DEXRON®-VI data set

Product Packaging

5200907 1 -12X1L

5200907 20 -20L

5200907 204 -204L

Property

Method

Unit

Disclaimer: The information contained in this document is based upon data believed to be reliable and relates only to the matters specifically mentioned in this document. Although DYNAMIC KOTE motor oil has used reasonable skill and care in the preparation of this information as of the date below, in the absence of any overriding obligations arising under a specific contract to supply goods or services: no representation, warranty (express or implied), or guarantee is made as to the suitability, accuracy, reliability or completeness of the information; nothing in this document shall reduce the user's responsibility to satisfy itself as to the suitability, accuracy, reliability, and completeness of such information for its particular use; there is no warranty against intellectual property infringement; and DYNAMIC KOTE motor oil shall not be liable for any loss, damage or injury that may occur from the use of this information other than death or personal injury caused by its negligence. No statement shall be construed as an endorsement of any product or process. For greater certainty, before use, particularly if the product is used for a purpose or under conditions which are abnormal or not reasonably foreseeable, this information must be reviewed with the supplier.

Τα άνωθι χαρακτηριστικά αντιπροσωπεύουν τυπικές τιμές.

DYNAMIC KOTE : 01.04.15

© copyright DYNAMIC KOTE motor oil motor oil-DYNAMIC KOTE LUBRICANTS P.C. – OT2B Industrial Zone of ALEXANDROYPOLIS – Greece (Hellas) - GR-68100 – website:

www.dynamickote.eu





			ATF DEX-VI
Specific Gravity 15°C	ASTM D 1298	kg/L	0,85
Viscosity at 40°C	ASTM D 445	cSt	
Viscosity at 100°C	ASTM D 445	cSt	5 – 6,5
Viscosity Index	-	cSt	>130
Pour Point	ASTM D 97	°C	<-40
Flash Point	ASTM D 92	°C	>210
Color			Red or Amber

Disclaimer: The information contained in this document is based upon data believed to be reliable and relates only to the matters specifically mentioned in this document. Although DYNAMIC KOTE motor oil has used reasonable skill and care in the preparation of this information as of the date below, in the absence of any overriding obligations arising under a specific contract to supply goods or services: no representation, warranty (express or implied), or guarantee is made as to the suitability, accuracy, reliability or completeness of the information; nothing in this document shall reduce the user's responsibility to satisfy itself as to the suitability, accuracy, reliability, and completeness of such information for its particular use; there is no warranty against intellectual property infringement; and DYNAMIC KOTE motor oil shall not be liable for any loss, damage or injury that may occur from the use of this information other than death or personal injury caused by its negligence. No statement shall be construed as an endorsement of any product or process. For greater certainty, before use, particularly if the product is used for a purpose or under conditions which are abnormal or not reasonably foreseeable, this information must be reviewed with the supplier.

Τα άνωθι χαρακτηριστικά αντιπροσωπεύουν τυπικές τιμές.

DYNAMIC KOTE : 01.04.15

© copyright DYNAMIC KOTE motor oil motor oil-DYNAMIC KOTE LUBRICANTS P.C. – OT2B Industrial Zone of ALEXANDROYPOLIS – Greece (Hellas) - GR-68100 – website:

www.dynamickote.eu

